

INDEX MAPS.

T. 7 N., R. 2 E. 2nd Mer.

	261		260		260		259		259		259	
263	6	281	5	277	4	273	3	270	2	266	1	258
	281		280		276		273		269		266	
262	7	280	8	276	9	273	10	269	11	266	12	258
	281		279		276		273		269		265	
262	18	279	17	275	16	272	15	268	14	265	13	258
	281		279		275		271		268		265	
262	19	279	20	275	21	271	22	268	23	264	24	257
	282		278		274		271		267		264	
261	30	278	29	274	28	271	27	267	26	264	25	257
	282		277		274		270		267		263	
261	31	277	32	274	33	270	34	266	35	263	36	
	256		256		256		255		255		255	

T. 8 N., R. 2 E. 2nd Mer.

	289		290-291		291		290		290		290	
293	6	312	5	309	4	305	3	301	2	297	1	289
	313		312		308		304		301		297	
293	7	312	8	308	9	304	10	300	11	297	12	288
	313		311		308		304		300		296	
292	18	311	17	307	16	303	15	300	14	296	13	288
	313		311		307		303		299		295	
292	19	310	20	307	21	303	22	299	23	295	24	287
	313		310		306		302		299		295	
292	30	310	29	306	28	302	27	298	26	294	25	287
	314		309		306		302		298		294	
291	31	309	32	305	33	302	34	298	35	294	36	287
	286		286		286		285		285		285	

[] The figures on the lines refer to the page.

Township N. 7 North, Range N. 2 East T. Mer. Indiana

ran. 6. 15. E

South Boundary March 25. 1811.

West 1st Mile between Town 6 & 7 N. Range 2 E.

10.00 a Brook 8 lks. wide Cr. S. E.

24.00 a Do 3 lks. " S. E.

26.00 a Sugar 12 mi. dist.

40.00 At the q. Sec. post, from which

a W. Oak 16 mi. dist. bearing N 86 E 43 lks. dist. of

80.00 At a post Cor. to Sec. 35 & 36, from which

a P. Oak 36 mi. dist. bearing N 15 W 11 lks. dist. of

a Do 6 " " " N 15 W 10 " "

Shilly poor Oak land.

West 2nd Mile between Town 6 & 7 N. Range 2 E.

18.00 a Brook 40 lks. wide Cr. S. E.

22.00 left Do

30.00 a Brook 6 lks. wide Cr. S. E.

40.00 At the q. Sec. post, from which

a Beech 18 mi. dist. bearing S 56 E 32 lks. dist. of

a Sugar 6 " " " N 35 W 27 " "

80.00 At a post Cor. to Sec. 34 & 35, from which

a Gum 30 mi. dist. bearing S 6 W 34 lks. dist. of

no other timber near.

Shilly land timber Oak, Beech, Sugar &c.

West 3rd Mile between Town 6 & 7 N. Range 2 E.

40.00 At the q. Sec. post, from which

a Poplar 36 mi. dist. bearing S 20 W 7 lks. dist. of

a P. Oak 16 " " " N 81 E " "

60.00 a Brook 3 lks. wide Cr. S. E.

80.00 At a post Cor. to Sec. 33 & 34, from which

a Chestnut Oak 30 mi. dist. bearing N 77 W 7 lks. dist. of

a Do 12 " " " N 49 E 15 " "

Shilly Oak land.

Twp. R2E2N. Mer. Indiana

Nest 4th (Mile between Town 6 & 7 N. Range 2 E.
Over hills & rough land Oaks, Chestnut, &c.

40.00 Let the q. Sec. post, from which
a Hickory 24 in. dia. bear N4E8k. dist. of
a chest. Oak 12 " " " N17E17 " "

58.00 a Brook 3k. wide Cr. S.W.

80.00 Let the sec. post Cor. to Sec. 32 & 33, from which
a chest. Oak 18 in. dia. bear S75E9k. dist. of
a Dogwood 5 " " " N57W8 " "
Hilly and Brush.

Nest 5th (Mile between Town 6 & 7 N. Range 2 E.

10.00 a Brook 3k. wide Cr. S.

25.00 a Do 3 " " " N.

40.00 Let the q. Sec. post, from which
a W. Oak 10 in. dia. bear N20E11k. dist. of
a C. Oak 18 " " " N40E13 " "

80.00 Let a post Cor. to Sec. 31 & 32, from which
a C. Oak 18 in. dia. bear S70E19k. dist. of
a W. Oak 8 " " " N84W34.

Hilly Oak land

Nest 6th (Mile between Town 6 & 7 N. Range 2 E.

40.00 Let the q. Sec. post, from which
a Hickory 7 in. dia. bear S55W25k. dist. of
a Do 7 " " " N63E31 " "

61.00 a Creek 50k. wide Cr. S.W.

62.50 Intersected W. boundary 5.00 N. of temp. post
Let a post Cor. to Town 6 & 7 N. R2E, from which
a Sugar 16 in. dia. bear S32E11k. dist. of
a Hickory 14 " " " N14E28 " "

(Description Omitted)

Ty N. R2E. 2^d. Mer. Indiana

East Boundary var. 6.15 E
March 26th 1811.

North On E. boundary of Sec. 36, Ty N. R2E

3.00 at Brook 25 lks. wide Cr. N20 E.

40.00 Set the q. Sec. post, from which

a Maple 4 in. dia. brang N80 W23 lks. dist. of

a W. Oak 20 " " " N80 E20 " "

65.50 a Beech 30 " "

75.50 a Creek 150 lks. wide Cr. S.W.

80.00 Set a post Cor. to Sec. 25 & 36, from which

a Beech 8 in. dia. brang N43 E4 lks. dist. of

a Hickory 4 " " " S83 W18 " "

Land poor & hilly timber Oak, Beech, hickory &c.

North On E. boundary of Sec. 25, Ty N. R2E

34.00 a W. Oak 25 in. dia. wet bottom land

40.00 Set the q. Sec. post, from which

a Sugar 5 in. dia. brang N50 E10 lks. dist. of

a Poplar 3 " " " N84 W12 " "

44.00 a Creek 150 lks. wide Cr. N.E. hilly oak land

47.00 a Do 150 " " " S.W.

69.50 a W. Oak 16 in. dia.

80.00 Set a post Cor. to Sec. 24 & 25, from which

a W. Oak 14 in. dia. brang S80 W12 lks. dist. of

a Do 24 " " " N23 E50 " "

Land poor & hilly, timber W. Oak & Beech

North On E. boundary of Sec. 24, Ty N. R2E

9.50 a W. Oak 14 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. brang N38 W14 lks. dist. of

a Do 10 " " " S80 W27 " "

60.25 a Hickory 14 " "

T^yN. R2E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 13 & 24, from which
 a W. Oak 13 in. dia. bray S20 W. 14 lks. dist. of
 a do 16 " " " N4E 23 " "
 Land, timber &c. same as on the last mile

North On E. boundary of Sec. 13, T^yN. R2E.
 14.75 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post, from which.
 a W. Oak 8 in. dia. bray N10 W 13 lks. dist. of
 a Mulberry 4 " " " N35 E 34 " "

40.50 a Brook 25 lks. wide Cr. N.W.

80.00 Set a post Cor. to Sec. 12 & 13, from which
 a W. Oak 18 in. dia. bray N27 W 36 lks. dist. of
 a Beech 4 " " " S27 E 6 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 12, T^yN. R2E.

1.00 a Brook 12 lks. wide Cr. S25 E.

30.00 a Hickory 9 in. dia. poor hilly land

40.00 Set the q. Sec. post from which
 a W. Oak 11 in. dia. bray S33 W 10 lks. dist. of
 a Maple 12 " " " N54 E 18 " "

56.50 a Brook 6 lks. wide Cr. S.

80.00 Set a post Cor. to Sec. 1 & 12, from which
 a Maple 10 in. dia. bray S40 E 14 lks. dist. of
 a Hickory 3 " " " S67 W 15 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T^yN. R2E.

26.00 a W. Oak 14 in. dia.

29.50 a Brook 12 lks. wide Cr. S.W.

40.00 Set the q. Sec. post, from which
 a chest. Oak 13 in. dia. bray S75 W 37 lks. dist.

T. N. R. 2 E. 2^d Mer. Indiana

a W. Oak 13 in. dia. bear S 20 W 31 lks. dist.
 75.00 a B. Oak 15 " "
 80.00 Let a post Cor. to Town 7 & 8 N. Range 2 & 3 E
 from which a Beech 12 in. dia. bear N 45 E 21 lks. dist. of
 a No 10 " " " S 65 W 10 " "
 Poor hilly Beech land.

North Boundary

West 1st mile between Town 7 & 8 N. R 2 E.
 12.00 a W. Oak 20 in. dia. land poor & hilly
 40.00 Let the q. Sec. post, from which
 a B. Oak 10 in. dia. bear N 20 W 8 lks. dist. of
 a No 7 " " " S 12 E 16 " "
 53.50 a Brook 15 lks. wide cr. S. W.
 59.50 a Beech 14 in. dia.
 80.00 Let a post Cor. to Sec. 35 & 36, T 8 N. R 2 E, from which
 a W. Oak 20 in. dia. bear S 34 E 16 lks. dist. of
 a Beech 8 " " " N 40 E 27 " "
 Poor hilly Oak and Beech land.

West 2^d mile between Town 7 & 8 N. R 2 E.
 20.00 a Creek 100 lks. wide cr. S. W.
 40.00 Let the q. Sec. post, from which
 a Hickory 15 in. dia. bear N 31 W 20 lks. dist. of
 a Poplar 36 " " " S 20 E 30 " "
 58.00 a Brook 15 lks. wide cr. S. W.
 62.50 a W. Oak 10 in. dia.
 80.00 Let a post Cor. to Sec. 34 & 35, T 8 N. R 2 E, from which
 a B. Oak 24 in. dia. bear S 60 E 15 lks. dist. of
 a Beech 8 " " " N 44 W 14 " "
 Land hilly and poor, timber Beech, Gum &c.

West 3^d mile between Town 7 & 8 N. R 2 E.

T^yN. R2E. 2^d. Mer. IndianaMarch 29th 1811.

- 8.00 a W. Oak 10 in. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 18 in. dia. bear N 25 W 31 lks. dist. of
 a Maple 14 " " " S 34 E 50 " "
 69.00 a Butternut 16 " "
 70.00 a Brook 30 lks. wide Cr. S. W.
 80.00 Let a post Cor. to Sec. 33 & 34, T8 N. R2E, from which
 a Sugar 16 in. dia. bear N 45 E 5 lks. dist. of
 a Gum 15 " " " S 45 W 25 " "
 Land of middling good quality, timber Beech,
 Sugar, Poplar, Spice &c.
-

- West 4th Mile between Towns 7 & 8 N. R2E
 10.00 a Hickory 16 in. dia.
 37.50 a Brook 25 lks. wide Cr. S. W.
 40.00 Let the q. Sec. post, from which
 a Sugar 14 in. dia. bear S 21 W 14 lks. dist. of
 a P. Oak 10 " " " N 30 W 10 " "
 79.50 a Beech 18 " "
 80.00 Let a post Cor. to Sec. 32 & 33, T8 N. R2E, from which
 a Sugar 10 in. dia. bear N 43 E 27 lks. dist. of
 a Beech 11 " " " S 27 E 29 " "
 Land timber &c. same as on the the last mile
-

- West 5th Mile between Towns 7 & 8 N. R2E.
 19.00 a P. Oak 36 in. dia.
 32.00 a Creek 150 lks. wide Cr. S. W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bear N 33 E. 24 lks. dist. of
 a do 14 " " " S 55 W 41 " "
 55.00 a Creek 150 lks. wide Cr. S. E.
 80.00 Let a post Cor. to Sec. 31 & 32, T8 N. R2E, from which

Ty N. R. 2 E. 2nd Mer. Indiana

a Maple 16 in. dia. brang S 58 E 17 lks. dist. of
a Water Beech 4 " " " North 7 " "
Land, timber &c. same as on the last mile

Nest 6th (mile between Town 7 & 8 N. R. 2 E.

5.00 a W. Oak 6 in. dia.

40.00 At the q. Sec. post, from which

a Beech 18 in. dia. brang S 74 E 21 lks. dist. of

a Do 13 " " " N 31 W 20 " "

60.00 At a post Cor. to Town 7 and 8 North, Range 1 of
2 East, from which

a W. Oak 15 in. dia. brang N 35 E 22 lks. dist. of

a Hickory 11 " " " S 72 W 28 " "

Poor hilly Oak land &c.

Nest Boundary March 29th 1811

North 1st (mile between Town 7 N. Range 1 of 2 E.

40.00 At the q. Sec. post, from which

a Hickory 12 in. dia. brang S 24 W 20 lks. dist. of

a Do 9 " " " N 41 E 22 " "

62.00 a W. Oak 40 " "

80.00 At a post Cor. to Sec. 25 of 36, T. 7 N. R. 1 E. from which

a Poplar 8 in. dia. brang N 48 W 23 lks. dist. of

a Hickory 12 " " " N 84 E 16 " "

Over hilly, timber Oak, Dogwood &c.

North 2nd (mile between Town 7 N. Range 1 of 2 E.

17.00 at Brook 3 lks. wide Cr. E.

23.00 a B. Oak 18 in. dia.

30.00 a Brook 4 lks. wide Cr. E.

40.00 At the q. Sec. post, from which

a Gum 6 in. dia. brang S 22 E 8 lks. dist. of

a B. Oak 15 " " " N 23 E 21 " "

T^y N. R. 2 E, 2^d Mer. Indiana

65.00 a W. Oak 18 in. dia.

80.00 At a post Cor. to Sec. 24 & 25, T^y N. R. 2 E from which
a Hickory 15 in. dia. bran N 80 W 20 lks. dist. of
a Sugar tree 15 " " " N 48 E 45 " "
Hilly Oak land.

North 3^d Mile between Town 7 N. Range 15 2 E.

40.00 At the q. Sec. post, from which
a W. Oak 15 in. dia. bran N 19 W 26 lks. dist. of
a P. Oak 30 " " " N 5 E 47 " "

63.00 a Brook 6 lks. wide C. S. M.

80.00 At a post Corn to Sec. 13 & 24, T^y N. R. 2 E, from which
a Poplar 9 in. dia. bran N 85 W 8 lks. dist. of
a P. Oak 15 " " " N 84 E 29 " "
Land timber &c. same as on the last mile

North 4th Mile between Town 7 N. Range 15 2 E

40.00 At the q. Sec. post, from which
a Beech 9 in. dia. bran N 47 W 18 lks. dist. of
a Do 16 " " " N 9 E 33 " "

43.00 a Brook 6 lks. wide C. S. M.

72.50 a P. Oak 20 in. dia.

80.00 At a post Cor. to Sec. 12 & 13, T^y N. R. 2 E, from which
a Beech 8 in. dia. bran N 43 W 7 lks. dist. of
a Do 6 " " " N 32 E 6 " "
Land timber &c. same as on the last mile

North 5th Mile between Town 7 N. Range 15 2 E.

15.00 a Brook 5 lks. wide C. S. M.

30.00 a Creek 150 lks. wide C. S. M.

40.00 At the q. Sec. post, from which
a Hickory 16 in. dia. bran N 61 E 15 lks. dist. of
a Maple 8 " " " N 19 W 18 " "

T⁷N. R²E. 2^d Mer. Indiana

60.00 a Gum 24 in. dia.

80.00 At a post. Cor. to Sec. 1 & 12, T⁷N. R²E, from which
a Hickory 6 in. dia. bear S 34 E 13 lks. dist. of
a Do 6 " " " N 33 E 14 " "
Land timber &c. Same as on the last mile

North 6th Mile between Towns 7 N. Range 1 & 2 E.

40.00 At the q. Sec. post, from which
a Beech 16 in. dia. bear S 61 E 23 lks. dist.

75.00 to the N.W. cor. of T⁷N. R²E. fell 3 chains
West of my random post.

Surveyed in 1811 by Alexander Holmes, D.S.

Sub-division.

North Between Sec. 35 & 36, T⁷N. R²E.

40.00 a Poplar 15 in. dia. (marked for q. Sec. cor.)

66.50 a Brook 12 lks. wide Cr. S. E.

80.00 At a post Cor. to Sec. 25 & 26, 35 & 36, from which
a Beech 10 in. dia. bear N 48 E 13 lks. dist. of
a Do 15 " " " S 57 W 30 " "
Land hilly thin Soil, timber Ch. Oak & Hick.

East On Random between Sec. 25 & 36, T⁷N. R²E.

13.00 a Brook 15 lks. wide Cr. N. E.

40.00 At temp. q. Sec. post

66.25 a Brook 75 lks. wide Cr. N. W.

80.00 Intersected the E. boundary 10 lks. N. of Corner.
Land timber &c. Same as on the last mile

West On true line between Sec. 25 & 36, T⁷N. R²E.

40.00 At q. Sec. post at av. dist. from which

a B. Oak 10 in. dia. bear S 36 E 20 lks. dist. of

a Do 6 " " " N 61 W 13 " "

T^yN. R2E. T^h. Mer. Indiana

80.00 to Section Corner.

North Between Secs. 25 & 26, T^yN. R2E.

- 40.00 Set the g. Sec. post, from which
 a W. Oak 18 in. dia. bray N84W30 lks. dist. &
 a Hickory 3 " " " N4E10 " "
- 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
 a W. Oak 30 in. dia. bray N42W15 lks. dist. &
 a Gum 8 " " " N75E26 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 24 & 25, T^yN. R2E.

- 20.00 a Brook 100 lks. E. S. N.W.
- 40.00 Set temp. g. Sec. post
- 79.44 Intersected the N & S. line at the Sec. Corner.
 Land timber &c. same as on the last mile

West On true line between Secs. 24 & 25, T^yN. R2E.

- 39.72 Set the g. Sec. post at ar. dist. from which
 a Gum 12 in. dia. bray N85E5 lks. dist. &
 a Beech 5 " " " N78W26 " "
- 79.44 to Sec. Corner.

North Between Secs. 23 & 24, T^yN. R2E, 2^d. Mer.

- 20.00 a Brook 100 lks. wide E. S. N.W.
- 40.00 Set the g. Sec. post, from which
 a Beech 3 in. dia. bray N38E5 lks. dist. &
 a Poplar 4 " " " N14W6 " "
- 75.00 a Brook 15 lks. wide E. S. N.W.
- 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which
 a W. Oak 30 in. dia. bray N35E28 lks. dist. &
 a Do 20 " " " N23W29 " "
 Land, timber &c. same as on the last mile

T⁷N. R2E, 2^d. Mer. Indiana.

East On Random between Sec. 13 & 24, T⁷N. R2E.
10.50 a Brook 15 lks. wide Cr. S. W.

40.00 Set temp. q. Sec. post

79.63 Intersected the E. boundary 80 lks. N. of corner
Sand timber &c. same as on the last mile

West On true line between Sec. 13 & 24, T⁷N. R2E.
39.81 1/2 Set q. Sec. post at av. g. dist. on true line from which
a P. Oak 15 m. diam. brang S 29 W 4 lks. dist. of
a Hickory — " " " N 49 E 24 " "
79.63 to Sec. Corner.

North Between Sec. 13 & 14, T⁷N. R2E, 2^d. Mer.
30.25 a Sugar 15 m. diam. in the line
40.00 Set the q. Sec. post, from which
a Beech 15 m. diam. brang S 60 E 15 lks. dist. of
a P. Oak 20 " " " S 12 E 23 " "
80.00 Set a post Cor. to Sec. 13, 14, 11 & 12, from which
a Poplar 20 m. diam. brang S 8 E 30 lks. dist. of
a Beech 15 " " " S 30 W 18 " "
Sand, timber &c. same as on the last mile

East On Random between Sec. 12 & 13, T⁷N. R2E.
40.00 Set temp. q. Sec. post
79.69 Intersected the E. boundary 28 lks. N. of corner
Sand timber &c. same as on the last mile

West On true line between Sec. 12 & 13, T⁷N. R2E.
39.84 1/2 Set q. Sec. post at av. g. dist. on true line, from which
a Maple 15 m. diam. brang N 25 E 11 lks. dist. of
a W. Oak 14 " " " S 45 E 6 " "
79.69 to Sec. Corner.

T^y N. R2 E. 2^d. Mer. IndianaNorth Between Secs. 11 & 12, T^y N. R2 E.

15.72 a Beech 15 in. diam. in the line

40.00 Set the q. Sec. post, from which
a Beech 12 in. diam. bears S63 E 15 lks. dist. of
a Do 10 " " " N79 E 11 " "80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which
a P. Oak 15 in. diam. bears S11 E 8 lks. dist. of
a Do 10 " " " N63 E 12 " "
Land timber &c. same as on the last mileEast On Random between Secs. 1 & 12, T^y N. R2 E.

40.00 Set temp. q. Sec. post

79.60 Intersected the N. & S. line 70 lks. N. of the corner.
Land timber &c. same as on the last mileWest On true line between Secs. 1 & 12, T^y N. R2 E.39.80 Set q. Sec. post at ar. dist. on true line from which
a P. Oak 30 in. diam. bears N79 E 9 lks. dist. of
a Do 24 " " " S46 E 15 " "

79.60 to Sec. Corner.

North Between Secs. 1 & 2, T^y N. R2 E. 2^d. Mer

11.69 a P. Oak 40 in. diam. in the line

40.00 Set the q. Sec. post, from which
a Beech 30 in. diam. bears S55 W 11 lks. dist. of
an Elm 15 " " " N5 W 19 " "78.39 Intersected the N. boundary 113 lks. E. of the cor.
Set a post Cor. to Secs. 1 & 2, from which
a Beech 15 in. diam. bears S89 W 7 lks. dist. of
a P. Oak 24 " " " S66 W 15 " "
Land timber &c. same as on the last mileNorth Between Secs. 34 & 35, T^y N. R2 E.

Ty N. P. 2 E. 2^d. Mer. Indiana

267

- 40.00 Let the q. Sec. post, from which
a P. Oak 6 m. dia. bear S 56 W 17 lks. dist. of
a Hickory 3 " " " N 32 W 9 " "
56.00 a Brook 15 lks. wide Cr. E.
80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
a P. Oak 15 m. dia. bear N 33 E 6 lks. dist. of
a Hickory 4 " " " S 9 E 28 " "
Land timber &c. same as on the last mile
-

- East On Random between Sec. 26 & 35, Ty N. P. 2 E.
40.00 Let temp. q. Sec. post.
80.20 Intersected the N & S. line 25 lks. N. of the Cor.
Land timber &c. same as on the last mile
-

- West on true line between Sec. 26 & 35, Ty N. P. 2 E.
40.10 Let q. Sec. post at ar. dist. on true line from which
a P. Oak 3 m. dia. bear N 45 W 26 lks. dist. of
a W. Oak 15 " " " S 30 E 27 " "
80.20 to Sec. Corner.
-

- North Between Sec. 26 & 27, Ty N. P. 2 E.
40.00 Let the q. Sec. post, from which
a W. Oak 30 m. dia. bear N 6 W 12 lks. dist. of
a Ho 15 " " " S 42 W 16 " "
80.00 Let a post Cor. to Sec. 22, 23, 26 & 27, from which
a Beech 10 m. dia. bear N 67 W 20 lks. dist. of
a Ho 10 " " " S 77 E 37 " "
Land timber &c. same as on the last mile.
-

- East On Random between Sec. 23 & 26, Ty N. P. 2 E.
40.00 Let temp. q. Sec. post
79.35 Intersected the N & S. line 50 lks. N. of Corner.
Land timber &c. same as on the last mile
-

Ty. N. R2E. 2^d. Mer. Indiana

West On true line between Sec. 23 & 26, Ty. N. R2E.
 39.67 1/2 Set q. Sec. post at av. dist. on true line from which
 a Sugar 10 m. diam. bear N45°W 23 lks. dist. of
 a Hickory 12 " " " S53°E 12 " "
 79.35 to Sec. Cor.

North Between Sec. 22 & 23, Ty. N. R2E.
 40.00 Set the q. Sec. post, from which
 a Beech 8 m. diam. bear S22°E 5 lks. dist. of
 a W. Oak 4 " " " N46°W 26 " "
 80.00 Set a post Cor. to Sec. 14, 15, 23 & 22, from which
 a W. Oak 15 m. diam. bear N35°E 8 lks. dist. of
 a Do 15 " " " S50°W 12 " "
 Sand timber &c. same as on the last mile.

East On Random between Sec. 14 & 23, Ty. N. R2E.
 40.00 Set temp. q. Sec. post
 41.50 a Brook 100 lks. wide Cr. N.
 79.00 Intersected the N & S. line 13 lks. N. of Corner.
 Sand timber &c. same as on the last mile

West On true line between Sec. 14 & 23, Ty. N. R2E.
 39.50 Set q. Sec. ^{at av. dist.} post, from which
 a Sugar 10 m. diam. bear S31°W 10 lks. dist. of
 a Beech 30 " " " S40°E 20 " "
 79.00 to Sec. Corner.

North Between Sec. 14 & 15, Ty. N. R2E.
 5.00 a Brook 10 lks. wide Cr. N.E.
 40.00 Set the q. Sec. post, from which
 a Ironwood 4 m. diam. bear N14°W 15 lks. dist.
 & a Beech 5 " " " N73°W 14 " "
 70.70 a Brook 150 lks. wide Cr. N.W.

T⁷N. R2E, 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 8 mi. dist. bearing N 87° W 3 lks. dist. &
 a Do 10 " " " S 9° W 22 " "
 Land, timber &c. Same as on the last mile

East On Random between Sec. 11 & 14, T⁷N. R2E.

40.00 Set temp. q. Sec. post
 78.87 Intersected, the N & S. line 12 lks. N. of corner.
 Land, timber &c. Same as on the last mile

West On true line between Sec. 11 & 14, T⁷N. R2E.

39.43 1/2 Set q. Sec. post at av. j. dist. from which
 a Dogwood 4 mi. dist. bearing N 10° E 12 lks. dist. &
 an Ash 3 " " " S 88° E 10 " "
 78.87 to Sec. Corner.

North Between Sec. 10 & 11, T⁷N. R2E, 2^d Mer.

40.00 Set the q. Sec. post, from which
 a P. Oak 4 mi. dist. bearing N 10° W 3 lks. dist. &
 a Do 15 " " " N 1° E 33 " "

70.00 a Brook 10 lks. wide Cor. N.W.

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Gum 5 mi. dist. bearing S 5° W 24 lks. dist. &
 a Beech 12 " " " S 78° E 35 " "
 Land timber &c. Same as on the last mile

East On Random between Sec. 2 & 11, T⁷N. R2E

40.00 Set temp. q. Sec. post
 74.01 a Brook 100 lks. wide C. S.
 79.25 Intersected the N & S. line 75 lks. N. of the cor.
 Land timber &c. Same as on the last mile

West On true line between Sec. 2 & 11, T⁷N. R2E.

T^yN. R2 E. 2^d Mer. Indiana

39.62 1/2 Let q. Sec. post. from which
 a Beech 8 in. dia. bran N29°W 8 lks. dist. of
 a do 5 " " " N9°W 14 " "
 79.25 to Sec. Cor.

North Between Sec. 28 & 3, T^yN. R2 E
 24.50 a W. Oak 30 in. dia. in the line
 40.00 Let the q. Sec. post from which
 a Sugar 15 in. dia. bran N28°E 26 lks. dist. of
 a Dogwood 5 " " " N11°W 22 " "
 78.17 Intersected the N. boundary 1.24 lks. E. of Corner
 a B. Oak 15 in. dia. bran N71°E 8 lks. dist. of
 a W. Oak 30 " " " N88°W 34 " "
 Sand timber &c. Same as on the last mile

North Between Sec. 33 & 34, T^yN. R2 E.
 40.00 Let the q. Sec. post. from which
 a Sugar 12 in. dia. bran N89°W 12 lks. dist. of
 a Red bud 2 " " " N80°E 12 " "
 80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which
 a Gum 8 in. dia. bran N2°E 20 lks. dist. of
 a B. Oak 6 " " " N62°W 11 " "
 Sand timber &c. Same as on the last mile

East On Random between Sec. 27 & 34, T^yN. R2 E.
 40.00 Let length of q. Sec. post
 80.30 Intersected the N & S. line 60 lks. N. of Corner
 Sand timber &c. Same as on the last mile

West On true line between Sec. 27 & 34, T^yN. R2 E.
 40.15 Let the q. Sec. post at av. g. dist. from which
 a Beech 8 in. dia. bran N60°E 5 lks. dist. of
 B. Oak 30 " " " N60°W 17 " "

T^yN. R2E, T^y. Mer. Indiana

80.30 to Sec. Corner.

North Between Sec. 27 & 28, T^yN. R2E.40.00 Set the q. Sec. post, from which
a Dogwood 3 in. dia. bear N44°W 12 lks. dist. of
a Do 4 " " " S26 E 23 " "

41.20 a Hickory 25 in. dia. in the line

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a W. Oak 15 in. dia. bear S80 E 12 lks. dist. of
a Poplar 40 " " " N68°W 17 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 22 & 27, T^yN. R2E.

40.00 Set temp. q. Sec. post

41.50 a Brook 15 lks. wide Cr. N.W.

81.00 Intersected the N & S. line 33 lks. N. of the Cor.
Land timber &c. Same as on the last mileWest On true line between Sec. 22 & 27, T^yN. R2E.40.50 Set q. Sec. post at av. dist. from which
a Sugar 8 in. dia. bear N52°W 19 lks. dist. of
a Hickory 8 " " " S26 E 16 " "

81.00 to Sec. Corner.

North Between Sec. 21 & 22, T^yN. R2E.

38.50 a Brook 12 lks. wide Cr. E.

40.00 a Beech 12 in. dia. (Marked for q. Sec. Cor.)

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
a Beech 4 in. dia. bear S36 E 27 lks. dist. of
a Do 4 " " " N68°W 22 " "

Land timber &c. Same as on the last mile

East On Random between Sec. 15 & 22, T^yN. R2E.

T⁷N. R2E. 2^d. Mer. Indiana

40.00 Set temp. g. Sec. post
 80.44 Intersected the N & S line 30 lks. S. of Corner.
 Sand timber &c. Same as on the last mile.

West On true line between Sec. 15 & 22
 40.22 Set g. Sec. post at av. g. dist. from which
 a Maple 5 m. diam. bears S 29° W 13 lks. dist. of
 a W. Oak 5 " " " N 64° E 23 " "
 80.44 to Sec. Corner

North Between Sec. 15 & 16, T⁷N. R2E.
 38.00 at P. Oak 30 m. diam. in the line
 40.00 Set the g. Sec. post, from which
 a Hickory 4 m. diam. bears N 57° W 6 lks. dist. of
 a W. Oak 6 " " " N 72° E 23 " "
 80.00 Set a post Cor. to Sec. 9, 10, 15 & 16 from which
 a P. Oak 15 m. diam. bears S 6° E 36 lks. dist. of
 a W. Oak 10 " " " N 64° E 19 " "
 Sand timber &c. Same as on the last mile

East On Random between Sec. 10 & 15,
 40.00 Set temp. g. Sec. post
 54.00 a Brook 20 lks. wide Cr. N. W
 70.00 a Do 100 lks. " " North
 80.30 Intersected the N & S line 50 lks. S. of Corner
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 10 & 15, T⁷N. R2E.
 40.15 Set g. Sec. post at av. g. dist. from which
 a Hogwood 3 m. diam. bears N 64° E 21 lks. dist. of
 a Do 3 " " " N 10° E 12 " "
 80.30 to Sec. Corner

T⁴ N. R2 E. 2^d Mer IndianaNorth Between Secs. 9 & 10, T⁴ N. R2 E. 2^d Mer.

35.00 a Gum 20 in. diam. in the line

40.00 At the q. Sec. post, from which
a Beech 12 in. diam. bran N31 W 8 lks. dist. of
a Do 12 " " " N64 E 19 " "80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
a W. Oak 10 in. diam. bran N11 E 23 lks. dist. of
a Do 15 " " " N50 W 34 " "

Sand timber &c. same as on the last mile

East On Random between Secs. 3 & 10, T⁴ N. R2 E.

40.00 Set temp. q. Sec. post.

45.00 a Brook 10 lks. wide C. & N. W.

70.00 a Do 100 " " " — N.

80.00 Intersected the N. & S. line 50 lks. N. of Corner
Sand timber &c. same as on the last mileWest On true line between Secs. 3 & 10, T⁴ N. R2 E.40.00 Set q. Sec. post at av. J. dist. from which
a Beech 10 in. diam. bran N48 E 13 lks. dist. of
a Do 15 " " " N19 W 24 " "

80.00 to Sec. Corner.

North Between Secs. 3 & 4, T⁴ N. R2 E. 2^d Mer.40.00 Set the q. Sec. post, from which
a Beech 30 in. diam. bran N87 W 29 lks. dist. of
a Do 5 " " " N10 E 25 " "

45.00 a Brook 125 lks. wide C. & N. W.

75.00 Intersected the N. boundary 50 lks. E. of post
Set a post Cor. to Secs. 3 & 4, from which
a Beech 10 in. diam. bran N30 E 10 lks. dist. of
a Do 8 " " " N79 W 20 " "
Sand timber &c. same as on the last mile

T^yN. R2E. 2.nd Mer. IndianaNorth Between Secs. 32 & 33, T^yN. R2E.40.00 Set the q. Sec. post, from which
a Hickory 6 in. dia. bear N42°W 8 lks. dist. of
a W. Oak 15 " " " S85°E 25 " "

53.00 a Brook 12 lks. wide Cr. S. W.

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which
a W. Oak 15 in. dia. bear S30°W 39 lks. dist. of
a Maple 4 " " " N36°E 33 " "
Land, timber &c. Same as on the last mileEast On Random between Secs. 28 & 33, T^yN. R2E.

40.00 Set temp. q. Sec. post

80.25 Intersected the N & S. line 26 lks. N. of Corner.
Land timber &c. Same as on the last mileWest On true line between Secs. 28 & 33, T^yN. R2E.40.12½ Set q. Sec. post at av. dist. from which
a B. Oak 8 in. dia. bear S32°W 23 lks. dist. of
a Do 26 " " " N2°E 24 " "

80.25 to Sec. Cor.

North Between Secs. 28 & 29, T^yN. R2E.40.00 Set the q. Sec. post, from which
a B. Oak 10 in. dia. bear S33°W 13 lks. dist. of
a Do 4 " " " N25°E 18 " "

49.00 a Brook 10 lks. wide Cr. S. W.

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
a Dogwood 3 in. dia. bear N32°E 7 lks. dist. of
a Do 3 " " " S71°W 7 " "
Land, timber &c. Same as on the last mileEast On Random between Secs. 21 & 28, T^yN. R2E.

40.00 Set temp. q. Sec. post.

276

Ty N R2 E, 2nd Mer. Indiana

79.75 Intersected the N & S. line, 60 lks. N. of Corner
Sand timber &c. Same as on the last mile

West On true line between Sec. 21 & 28, Ty N. R2 E.
39.87 1/2 Set q. Sec. post at av. J. dist. from which
a Chest. Oak 12 in. dia. bray N 25 W 18 lks. dist. of
a Do 12 " " " N 5 W 25 " "
79.75 to Sec. Corner

North Between Sec. 20 & 21, Ty N. R2 E.
40.00 Set the q. Sec. post, from which
a Chest. Oak 15 in. dia. bray N 56 E 14 lks. dist. of
a Dogwood 3 " " " N 50 W 10 " "
80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
a Gum 5 in. dia. bray N 77 W 26 lks. dist. of
a Do 4 " " " N 60 E 29 " "
Sand timber &c. Same as on the last mile

East On Random between Sec. 16 & 21, Ty N. R2 E.
40.00 Set temp. q. Sec. post
79.50 Intersected the N & S. line 60 lks. N. of Corner
Sand timber &c. Same as on the last mile

West On true line between Sec. 16 & 21, Ty N. R2 E.
39.75 Set q. Sec. post at av. J. dist. from which
a Sugar 10 in. dia. bray N 86 E 12 lks. dist. of
a Maple 12 " " " N 15 W 13 " "
79.50 to Sec. Cor.

North Between Sec. 16 & 17, Ty N. R2 E
38.00 a P. Oak 15 in. dia. in the line
40.00 Set the q. Sec. post, from which
a Gum 6 in dia. bray N 77 E 7 lks. dist. of

T^yN. R2E. 2^d Mer. Indiana

a B. Oak 12 in. dia. bray S 83° W 20 lb. dist.
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a W. Oak 15 in. dia. bray N 63° W 8 lb. dist.
 a B. Oak 16 " " " S 48° E 27 " "
 Land timber &c. Same as on the last mile

East On Random between Sec. 9 & 16, T^yN. R2E.
 40.00 Set temp. q. Sec. post
 79.59 Intersected the N & S. line 63 lb. N. of Corner
 Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, T^yN. R2E.
 39.79 1/2 Set q. Sec. post at anj. dist. from which
 a Hickory 12 in. dia. bray S 46° W 14 lb. dist.
 a Ho 15 " " " N 86° E 13 " "
 79.59 to Sec. Corner.

North Between Sec. 8 & 9, T^yN. R2E.
 33.57 a B. Oak 30 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Gum 15 in. dia. bray S 41° W 12 lb. dist.
 a Red bud 5 " " " S 87° E 34 " "
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 an Ironwood 3 in. dia. bray S 68° E 14 lb. dist.
 a W. Oak 30 " " " N 2° W 12 " "
 Land timber &c. Same as on the last mile

East On Random between Sec. 4 & 9, T^yN. R2E.
 21.00 a Brook 15 lb. wide Cr. St.
 40.00 Set temp. q. Sec. post.
 79.50 Intersected the N & S. line 50 lb. N. of post.
 Land timber &c. Same as on the last mile

T^yN. R2E. 2^d. Mer. Indiana

West On true line between Secs. 4 & 9, T^yN. R2E.
 39.75 Set q. Sec. post at av. j. dist. from which
 a W. Oak 24 m. dia. bear N 31 W 20 lks. dist. of
 a B. Oak 15 " " " N 42 E 22 " "
 79.50 to Sec. Corner.

North Between Secs. 4 & 5, T^yN. R2E. 2^d. Mer.
 35.00 a Brook 150 lks. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 15 m. dia. bear N 82 W 4 lks. dist. of
 a Do 12 " " " S 55 E 23 " "
 76.86 Intersected the N. boundary 167 lks. E. of Cor.
 Set a post Cor. to Secs. 4 & 5, T^yN. R2E. from which
 a Beech 5 m. dia. bear N 82 E 3 lks. dist. of
 a Poplar 20 " " " S 73 W 30 " "
 Land timber &c. Same as on the east mile

North Between Secs. 31 & 32, T^yN. R2E.
 34.50 a Brook 10 lks. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 m. dia. bear N 61 E 15 lks. dist. of
 a Do 10 " " " N 84 W 24 " "
 65.00 a Brook 15 lks. wide Cr. S. W.
 80.00 Set a post Cor. to Secs. 29, 30, 31 & 32, from which
 a Hickory 10 m. dia. bear N 84 W 22 lks. dist. of
 a W. Oak 30 " " " S 27 E 33 " "
 Land timber &c. Same as on the last mile

East On Random between Secs. 29 & 32, T^yN. R2E.
 10.00 a Brook 20 lks. wide Cr. S. W.
 12.50 a Do 20 " " " N. W.
 15.00 a Do 20 " " " S. W.
 40.00 Set temp. q. Sec. post.

T₇N-R2E.2. Mr. Indiana

80.20 Intersected the N & S. line 40 lks. N. of Corner
Land timber &c. same as on the last mile.

West On true line between Sec. 29 & 32, T₇N. R2E
40.10 Set of Sec. post at ar. dist. from which
a W. Oak 10 in. dia. bear N 80 E 9 lks. dist. of
a Do 20 " " " S 33 W 27 " "
80.20 to Sec. Corner.

North Between Sec. 29 & 30, T₇N. R2E.
27.00 a Brook 12 lks. wide Cr. S. W.
40.00 Set the of Sec. post, from which
a W. Oak 12 in. dia. bear S 68 W 9 lks. dist. of
a Gum 10 " " " S 73 E 11 " "
74.50 a Brook 10 lks. wide Cr. S. E.
80.00 Set a post cor. to Sec. 19. 20. 29 & 30, from which
a Maple 6 in. dia. bear S 36 W 7 lks. dist. of
a Logwood 4 " " " N 53 E - " "
Land timber &c. same as on the last mile

East Between Sec. 20 & 29, T₇N. R2E.
39.50 a Brook 10 lks. wide Cr. S.
40.00 Set temp. of Sec. post
55.50 a Brook 10 lks. wide Cr. S.
80.12 Intersected the N & S. line 8 lks. N. of Corner.
Land timber &c. same as on the last mile

West On true line between Sec. 20 & 29, T₇N. R2E.
40.06 Set of Sec. post at ar. dist. on true line from which
a Beech 20 in. dia. bear S 25 E 26 lks. dist. of
a Do 4 " " " N 74 W 20 lks. "
81.12 to Sec Corner.

T^yN-R2E, T^h. Mer. IndianaNorth Between Secs. 19 & 20, T^yN. R2E.

40.00 Set the q. Sec. post, from which
 a Poplar 8 in. dia. bear N 79 E 22 lks. dist. of
 a Chest. Oak 10 " " " N 75 W 12 " "

80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which
 a Chest. Oak 15 in. dia. bear S 40 E 10 lks. dist. of
 a W. Oak 15 " " " N 52 W 41 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 17 & 20, T^yN. R2E.

10.00 a Brook 12 lks. wide Cr. N.W.

40.00 Set temp. q. Sec. post

80.40 Intersect the N & S. line 48 lks. N. of the Corner
 Land timber &c. same as on the last mile

West On true line Between Secs. 17 & 20, T^yN. R2E.

40.20 Set the q. Sec. post at ar. dist. from which
 a W. Oak 10 in. dia. bear S 4 E 12 lks. dist. of
 a B. Oak 10 " " " N 46 E 12 " "

80.40 to Sec Cor.

North Between Secs. 17 & 18, T^yN. R2E.

29.65 a W. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which
 a Sugar 15 in. dia. bear N 80 W 17 lks. dist. of
 a do 3 " " " N 64 W 16 " "

70.50 a Brook 15 lks. wide Cr. N.W.

80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
 a Gum 20 in dia. bear N 85 W 19 lks. dist. of
 a Beech 5 " " " S 40 E 17 " "
 Land, timber &c. same as on the last mile

East On Random between Secs. 8 & 17, T^yN. R2E.

T^yN. R2E. 2^d. Mer. Indiana

40.00 Let temp. q. Sec. post
 80.32 Intersected the N & S. line 15 lks. N. of Corner
 Land timber &c. Same as on the last mile

West On true line between Sect. 8 & 17, T^yN. R2E.
 40.16 Let q. Sec. post at ar. dist. from which
 a P. Oak 30 in. diam. bran N10 E 23 lks. dist. of
 a Do 15 " " " N10 W 12 " "
 80.32 to Sec. Corner.

North Between Sect. 7 & 8, T^yN. R2E. 2^d. Mer.
 21.50 a Brook 10 lks. wide Cr. W.
 40.00 Let the q. Sec. post from which
 a Sugar 10 in. diam. bran S22 W 10 lks. dist. of
 a Gum 20 " " " N87 E 15 " "
 70.25 a Brook 150 lks. wide Cr. W.
 80.00 Let a post Cor. to Sect. 5, 6, 7 & 8, from which
 a Gum 5 in. diam. bran N60 E 6 lks. dist. of
 an Ironw. 3 " " " S51 W 7 " "
 Land timber &c. Same as on the last mile

East On Random between Sect. 5 & 8, T^yN. R2E.
 14.00 a Brook 150 lks. wide Cr. S.
 40.00 Let temp. q. Sec. post
 81.00 Intersected the N & S. line 18 lks. N. of Corner.
 Land timber &c. Same as on the last mile

West On true line between Sect. 5 & 8, T^yN. R2E.
 40.50 Let q. Sec. post at ar. dist. from which
 a Dogwood 3 in. diam. bran N78 W 16 lks. dist. of
 a Do 3 " " " N27 W 16 " "
 81.00 to Sec. Corner.

T^y N. R 2 E. 2^d. Mer. Indiana

North Between Sec. 5 & 6, T^y N. R 2 E.
 40.00 At the q. Sec. post, from which
 a Beech 7 m. dia. bear N 66 E 15 lks. dist. of
 a Do 10 " " " N 71 E 34 " "
 72.65 Intersected the N. boundary 24 lks. E. of corner
 Set a post cor. to Sec. 5 & 6, from which
 an Elm 15 m. dia. bear N 16 E. 11 lks. dist. of
 a Maple 3 " " " N 41 W 14 " "
 Land timber &c. same as on the last mile

West Between Sec. 6 & 7, T^y N. R 2 E.
 40.00 At the q. Sec. post, from which
 a Beech 17 m. dia. bear N 41 E 10 lks. dist. of
 a Do 20 " " " N 13 W 11 " "
 61.65 Intersected the W. boundary 35 lks. S. of corner
 Set a post Cor. to Sec. 6 & 7, from which
 a W. Oak 20 m. dia. bear N 43 E 22 lks. dist. of
 a Do 20 " " " N 43 W 24 " "
 Land timber &c. same as on the last mile

West Between Sec. 7 & 18, T^y N. R 2 E.
 5.50 a Brook 10 lks. wide cr. S.
 40.00 At the q. Sec. post, from which
 a W. Oak 15 m. dia. bear N 16 W 7 lks. dist. of
 a Hickory 4 " " " N 87 E 15 " "
 61.75 Intersected the W. boundary 232 lks. S. of corner
 Set a post Cor. to Sec. 7 & 18, from which
 a P. Oak 12 m. dia. bear N 56 E 12 lks. dist. of
 a Hickory 8 " " " N 15 W 12 " "
 Land timber &c. same as on the last mile

West Between Sec. 18 & 19, T^y N. R 2 E.
 40.00 At the q. Sec. post, from which

T^yN. R2E, 2^d. Mer. Indiana

- a Bassap 6 in. dia. bran 127 E 21 lks. dist. of
 a Do 8 " " " N 24 W 23 " "
 43.30 a B. Oak 20 in. dia. in the line
 63.10 Intersected the W. boundary 150 lks. S. of corner.
 Set a post Cor. to Sec. 18 & 19, from which
 a W. Oak 10 in. dia. bran 150 W 6 lks. dist. of
 a Beech 5 " " " N 50 E 16 " "
 Land timber &c. Same as on the last mile
-

West Between Sec. 19 & 30, T^yN. R2E.

- 40.00 Set the q. Sec. post, from which
 a Poplar 3 in. dia. bran 136 E 4 lks. dist. of
 a Ches. Oak 20 " " " N 88 W 36 " "
 61.50 Intersected the W. boundary 196 lks. N. of corner
 Set a post Cor. to Sec. 19 & 30, from which
 a W. Oak 30 in. dia. bran 152 E 48 lks. dist. of
 a Do 15 " " " N 65 W 28 " "
 Land, timber &c. Same as on the last mile
-

West Between Sec. 30 & 31, T^yN. R2E

- 40.00 Set the q. Sec. post, from which
 a B. Oak 10 in. dia. bran 116 E 16 lks. dist. of
 a Do 6 " " " N 34 W 20 " "
 42.00 a Brook 15 lks. wide Cr. S. E.
 62.75 Intersected the W. boundary 44 lks. S. of corner
 Set a post Cor. to Sec. 30 & 31, from which
 a W. Oak 40 in. dia. bran 146 E 50 lks. dist. of
 a Hickory 8 " " " N 50 E 23 " "
 Land timber &c. Same as on the last mile
 Surveyed in 1844 by Arthur Hennie, D.S.
-

I certify that the foregoing transcript of field notes
 of Township N. 7 N. Range N. 2 E. 2^d Meridian
 Indiana, has been compared with the original
 notes in this office, and found to be correct.

Surveyor Gen. Office
 Cincinnati Feb. 26th 1849

C. P. Cairns
 Sur. Gen.